


P-touch

2420PC



Model : PT-2420PC

Quick Reference



brother®

P-touch 2420PC

!

Brother

PT-2420PC

P-touch

가

CD-ROM

가

P-touch Quick Editor

P-touch Editor

3.1

(Template)

PT-2420PC

1.

2.

P-touch




USB

P-touch

Web Site : <http://www.brother.co.kr>

.....	3
.....	3
.....	3
.....	4
.....	5
AC	5
POWER / FEED	6
USB	6
.....	6
IBM-PC (WINDOWS 98 / 98SE / ME / 2000).....	7
.....	7
P-touch Quick Editor	7
P-touch Editor 3.1	9
.....	10
.....	10
.....	11
.....	11
.....	11
MACINTOSH	13
.....	13
P-touch Quick Editor	13
P-touch Editor 3.1	14
.....	15
.....	15
.....	15
P-TOUCH EDITOR 3.1	16
P-touch Editor 3.1	16
P-TOUCH QUICK EDITOR	17
P-touch Quick Editor	17
P-TOUCH QUICK EDITOR	17
.....	17
.....	18
가	18
.....	18
(Text History list)	18
(Symbol) 가.....	18
.....	19
.....	19
.....	19
P-touch Quick Editor / (Windows).....	19
P-touch Quick Editor	19
.....	20
.....	20
.....	21
.....	21
.....	21
.....	21
.....	22
P-touch	22
.....	23
(MACHINE SPECIFICATIONS).....	23
.....	24

- PT-2420PC
- 1/2 (12mm) TZ (; 26 1/4 (8m)
- AC (PT-2420PC AC)
- USB (PT-2420PC IBM-PC)
- (Quick Reference)
- PC Macintosh CD-ROM
- (separator)



- Brother TZ , TZ 가
- P-touch 가
- 가
- 가 가
- 가
- 가
- P-touch
- AC (J)
- USB
- AC
- P-touch
- IBM International Business Machine
- Microsoft Microsoft Windows 가 Microsoft
- Macintosh Power Macintosh Apple Computer
-


- 가 ,
-
- , ,
- ,
- ,
- 가 ,
-

① (室, compartment) 가 ().

② 가 ,

③ , 가

가




☞ (stopper)가

④ 가 (室)

☞ 가

⑤




AC

AC PT-2420PC

① PT-2420PC DC IN 9.5V

② 가 가

가



☞ PT-2420PC , Power/Feed

Power / Feed

Power/Feed (⏻) PT-2420PC

- PT-2420PC
- * ⏻
-
- * ⏻ 2

USB



PT-2420PC

! PT-2420PC IBM PC
PT-2420PC
p.6 p.10

AC

PT-2420PC

- 1 USB
USB
- 2 USB
PT-2420PC
()
USB USB
가 USB



CD-ROM

- P-touch Quick Editor
- P-touch Editor 3.1
- PT-2420PC

1 (Reverse engineering)

IBM - PC

(Windows 98 / 98SE / Me / 2000)

PT-2420PC Editor 3.1) CD-ROM PT-2420PC 가 PT-2420PC (P-touch Quick Editor P-touch

: IBM PC

: Microsoft Windows 2000, Microsoft Windows 98 / 98SE / Me(Microsoft Windows 98 / 98SE / Me 가)

가 Hard Disk : 20 MB

가 : 32 MB

: VGA

USB

CD-ROM

가 PT-2420PC 가 PT-2420PC 가 PT-

2000 () (administrator privileges) (User groups)

P-touch Quick Editor

P-touch Quick Editor

P-touch Quick Editor

1 CD-ROM CD-ROM 가



Driver 가 PT-2420PC

가 " CD-ROM " CD-ROM "Setup.exe" 가



2 가

9

P-touch Editor 3.1
 Editor 8
 3.1 'P-touch Editor

7 ' 가
 8 P-touch Quick Editor 가 (P-touch Quick Editor 가)
 (16)

9 P-touch Quick Editor
 P-touch Quick Editor
 InstallShield 가 가



9 가 가



4 가



가 PT-2420PC

5 Windows 가) 가



9



가

가

6 ' 가
 ' 가
 (Choose Destination Location)
 가



“ ”
 CD-ROM CD-ROM



P-touch Editor 3.1 (Typical) (P-touch Editor 3.1, 13)

P-touch Editor 3.1

)가

가

P-touch Editor 3.1

(Compact) P-touch Editor 3.1

1

ROM

CD-ROM

CD-

(Custom) Editor : P-touch Editor 3.1 : P-touch Editor 3.1

가

: 13



가

: P-touch Editor 3.1 (HTML)

CD-ROM

CD-ROM

“

CD-ROM

“Setup.exe”

가

: P-touch Editor 3.1

CD-ROM

2

가

(Select sub-components) 가



Editor 3.1

P-touch

Driver Driver

가

PT-2420PC

5 P-touch Editor 3.1

가

9



P-touch Quick Editor (P-touch Quick Editor) 6 P-touch Quick Editor

PT-2420PC


가

3

P-touch Editor 3.1 InstallShield 가 가



4



ROM CD-ROM



3 가



4 “ ROM CD-ROM CD- ”

Plug-and-Play²

2420PC가 USB Plug-and-Play ROM

. PT- CD-

P-touch Editor CD-ROM

HTML

PT-2420PC

가

• CD-ROM

① Window Explorer

② CD-ROM

③ CD-ROM P-touch “ Main.htm ”

• P-touch Editor 3.1

● P-touch Editor 3.1

① ()

② “ Programs ”

③ “ P-touch Editor 3.1 ”

④ “ P-touch Editor 3.1 ”

①

PT-2420PC 가



② 5 USB

PT-2420PC PT-2420PC

가 가

2

가 가

가 가

가

P-touch Editor 3.1 P-touch Quick Editor

① 98 / 98 SE / Me / 2000

② “ ” “ ”

③ “ 가/ ”



④ “ 가/ ” “P-touch Quick Editor” (P-touch Quick Editor) “P-touch Editor 3.1” (P-touch Editor 3.1) 가/

⑤ “ ” 가

⑥ “ ” 가

가

① PT-2420PC

② ROM CD-ROM CD-

가



가

CD-ROM

CD-ROM “Setup.exe” 가

③ 가



④ Driver Driver 가 PT-2420PC 가



5

“ Brother PT-2420PC ”

Windows 2000
가 PT-2420PC

“ Brother PT-2420PC 가
가 가
Windows 98 / Me USB
PT-2420PC 가
가
PT-2420PC

6 “ Brother PT-2420PC ”
“Brother PT-2420PC 가” , PT-
2420PC
가



5

USB PT-
2420PC , PT-
2420PC
가



“ , , ”

“Brother PT-2420PC ”

PT-2420PC
가



“ , , ”
가



“ , , ”
가

가
 PT-2420PC
 “PT-2420PC”


가 가



가



5



6

가
 가 ()
 가
 30 MB
 가
 120 MB
 가

P-touch Editor 3.1

P-touch Editor 3.1

3.1

P-touch Editor

- 1 PT-2420PC
 USB
 2420PC Macintosh
 2420PC

PT-
 PT-

2 Macintosh

- 3 ROM
 ROM

CD-ROM 가 CD-
 CD-



4 P-touch Editor 3.1



- P-touch Editor 3.1
- PT-2420PC
-

가

PT-2420PC
 “PT-2420PC”

30 MB

7 가 가



8 가



1 Apple " (Chooser)"³

2 PT-2420PC



3

P-touch Editor
CD-ROM

가 HTML

- CD-ROM
 - CD-ROM P-touch Editor 3.1 "Main.htm"

- - P-touch Editor 3.1 "Main.htm"

P-touch Editor 3.1, P-touch Quick Editor

touch P-

- 1
 - P-touch Quick Editor (P-touch Quick Editor)
 - P-touch Editor 3.1 (P-touch Editor)

2 System (Extension)⁴

3

- PT-2420PC USB PT-2420PC (Extension)

4 System (Preferences)

5

- P-touch Quick Editor (Prefs), P-touch Editor 3.1 PT-2420PC

가

³ Apple Macintosh 가

⁴ CD-ROM 가 가

P-touch Editor 3.1

P-touch Editor 3.1

P-touch Editor 3.1 가 ,

IBM PC :

• P-touch Editor :

- P-touch Editor 3.1 touch Editor 3.1



• :

- ①
- ② " Programs "
- ③ " P-touch Editor 3.1 "
- ④ " P-touch Editor 3.1 "


P-touch Editor 3.1

☞ P-touch Editor 3.1

ROM

(Property dock)

(object dock)



P- Macintosh :

- P-touch Editor 3.1 P-touch Editor 3.1


P-touch Editor 3.1

☞ P-touch Editor 3.1

CD-

ROM

CD-



(alignment)
 ① (Properties) ()
 가

② “ ” 가



③ “ ” “ ” “ ”
 (Window),
 (Macintosh)
 “ ”

④ “ ”

가 (import)



“ ” (Change View)
 ()

가

가

①

② (Windows 가),

가

(Windows 가) 가

()

“ ”

가

가

(Text History list)

가 10

① “ (Text History)” ()

②



(Symbol) 가

가

가

① (Windows) (

“ ” “ ” “ ”
 “ / ” “ ” “ ”
 가

(Macintosh) (

“ ” “ ”
 “가 / 가”
 가



② “ ”

③ (Symbol List view)

④ ‘ ’ 가 , 가

가



가

가

(Mirror Printing) :

- (Windows) (“ ” , (Macintosh) (“ ” , “ ” (Windows) “ ” (Macintosh)

① (Windows) : 가

(Macintosh) : “ ”



P-touch Quick Editor / (Windows)



P-touch Quick Editor

(Tray) P-touch Quick Editor가

“ (Arrange)” ()

가 가

P-touch Quick Editor

- (Windows)

P-touch Quick Editor

① “ ” () 가

② “ ” 가

③

(Cut Marks) : 가

가

(:)

- ()

(Macintosh)

- “ ” “ ”

- ()

“ ”

① PT-2420PC

② P-touch Quick Editor P-touch Editor 3.1

PT-2420PC

③


④ . PT-2420PC가

Tape Cutter

PT-2420PC

가

, Power/Feed



①

②

③

4 3

④

가 가

① PT-2420PC

② (室)

③ PT-2420PC 가

④

가





가

⑤

*

() 5

가



⁵ isopropyl alcohol:

가

(溶劑)

P - touch

PT-2420PC

	→
	• P-touch가
	• P-touch가
	<ul style="list-style-type: none"> • 가 → • → Power/Feed PT-2420PC • →
	• EEPROM →
	• 가 →

P-touch가

, PT-2420PC

P-touch 가	<ul style="list-style-type: none"> • • • (室) 가 	가 가
가 가	가	P-touch, Power/Feed
	AC 가	AC 가
가		20
가		Windows “ (Print to the following port) ” USB * “ PTUSB: ” Macintosh (Chooser) P-touch가 PT-2420PC

* P-touch USB “PTUSB:” “PTUSB(PT-2420PC-XXXXXXXXX):” (XXXXXXXXX). P-touch

(Machine Specifications)

:	AC
:	5
:	1/4, 3/8, 1/2, 3/4, 1 (6 mm, 9 mm, 12 mm, 18 mm, 24 mm)
:	128, 180 dpi
:	279 mm
:	USB
:	2-3/5 X 4-6/7 X 5-3/4 (66 X 123 X 145 mm)
:	400 (13)

- Brother 가 Brother 가 가 . Brother 가 가 .
 Brother TZ , TZ 가 .

24 mm	
TZ 151	
TZ 251	
TZ 451	
TZ 551	
TZ 651	
TZ 751	
TZ C51	
TZ B51	
TZ D51	
TZ M51	()
TZ 252	
TZ 253	
TZ 354	
TZ 355	
TZ 555	
18 mm	
TZ 141	
TZ 241	
TZ 345	
TZ 441	
TZ 541	
TZ 641	
TZ 741	
12 mm	
TZ 131	
TZ 231	
TZ 335	
TZ 431	
TZ 531	

12 mm	
TZ 631	
TZ 731	
9 mm	
TZ 121	
TZ 221	
TZ 421	
TZ 521	
TZ 621	
TZ 721	
6 mm	
TZ 111	
TZ 211	
TZ 611	
24 mm (非)-	
TZ N251	
18 mm -	
TZ N241	
TZ N541	
TZ N641	
TZ N741	
12 mm -	
TZ N231	
TZ N531	
TZ N631	
9 mm -	
TZ N221	
6 mm -	
TZ N211	